



SILENT POWER FOR UNINTERRUPTED GROWTH



**JAKSON - CUMMINS 7.5kVA-3750kVA
DIESEL GENERATING SETS**



DIESEL GENERATING SETS | 7.5kVA-3750kVA

Diesel powered generating sets remain the most popular and reliable source of power, worldwide. Jakson offers a comprehensive range of Cummins powered diesel generators ranging from 7.5 kVA to 3750 kVA in single node that can meet the diverse energy needs of industrial, commercial and individual customers. As a pioneer of the industry, Jakson gensets are the preferred choice of customers across a wide range of industries that include Infrastructure & Realty, IT & ITES, Healthcare & Hospitality, Agrochemical, Automobile, Manufacturing and Agro & Aqua amongst others.

SILENT & DURABLE ENCLOSURES

Sturdy enclosures for extreme environments and better sound attenuation

MANUAL & AMF CONTROL PANELS

For seamless ON/OFF operation or switching between power sources

SPECIAL APPLICATION GENERATING SETS

For demanding applications like Defence and Oil exploration



DIESEL POWER PLANTS

From consulting and construction to operations and maintenance, Jakson provides a full portfolio of services to deliver any element of a power project. Irrespective of the size or type of application, Jakson has the engineering expertise to deliver tailor-made power plants as per customer requirements at any location.

System Design | Project Management | Equipment Supply | EPC | O & M



High Fuel Efficiency

The product offers high fuel efficiency and continuous reliability.



CPCB II Compliant

The engines adhere to stringent CPCB II norms as mandated by Government.



Low Emission Levels

The new product line offers reduced emission levels making businesses green and sustainable.



24X7 Service Support

Round the clock service support across the country.



Low Cost of Ownership

Lower operation & maintenance cost throughout product lifecycle.

RATING CHART

Silent Diesel Generating Sets

Model Name	Engine Model	Rating			Dimensions in mm			Approx Weight (in Kg.)	Fuel Tank (in Ltr.)
		(kVA)	(kW)	(BHP)	L	W	H		
JSPF 7.5K	X1.3TAA-G1	7.5	6	23	1460	940	915	550	56
JSPF 10K	X1.3TAA-G1	10	8	23	1460	940	915	550	56
JSPF 15K	X1.3TAA-G1	15	12	23	1600	940	1100	610	62
JSPF 20K	X1.3TAA-G7	20	16	25.3	1780	940	1100	723	60
JSPF 25K	X2.7T-G1	25	20	38.5	2400	950	1400	1090	70
JSPF 30K	X2.7TAA-G2	30	26	38.5	2600	950	1600	1090	70
JSPF 35K	X2.7TAA-G7	35	28	67.5	3000	950	1600	1090	70
JSPF 40K	X3.6TAA-G1	40	32	53	2800	1150	1450	1300	110
JSPF 50B	4BTAA3.3-G11	50	40	84	2950	1150	1950	1500	150
JSPF 62.5B	4BTAA3.3-G11	62.5	50	84	2950	1150	1950	1500	150
JSPF 82.5B	4BTAA3.9-G4	82.5	66	110	3850	1150	1700	1900	185
JSPF 100B	6BTAA5.9-G13	100	80	159	4800	1150	1850	2200	300
JSPF 125B	6BTAA5.9-G13	125	100	159	4800	1150	1850	2200	300
JSPF 160Q	QSB5.9-G1	160	112	184	6000	1150	1850	2520	300
JSPF 160Q	QSB5.9-G2	160	128	206	6000	1150	1850	2520	300
JSPF 180Q	QSB6.7-G14	180	164	234	6200	1350	1850	2856	375
JSPF 200Q	QSB6.7-G15	200	160	256	6200	1350	1850	2856	375
JSPF 225Q	QSB6.7-G16	225	180	280	6200	1350	1850	2856	375
JSP 250Q	6L8.9TAA-G4	250	200	335	4800	1500	2025	4385	425
JSP 300Q	QSLY-G15	300	240	399	4800	1500	2025	4385	450
JSP 320Q	QSLY-G15	320	256	399	4800	1500	2025	4385	450
JSP 365Q	QSN14-G1	365	292	448	5500	1900	2150	6165	450
JSP 380Q	QSN14-G2	380	304	687	5500	1900	2150	6165	450
JSP 400Q	QSN14-G2	400	320	687	5500	1900	2150	6250	450
JSP 500K	KTAA19-G10	500	430	587	6000	2000	2750	8000	700
JSP 600K	KTAA19-G12	600	480	713	6500	2000	2800	9029	900
JSP 625K	KTAA19-G13	625	530	739	6500	2000	2800	9029	900
JSP 650Q	QSK19-G7	650	520	828	6500	2000	2800	9029	831
JSP 750K	KTA38-G12	750	630	1069	8000	2600	3000	13000	990
JSP 810K	KTA38-G12	810	648	1069	8000	2600	3000	13000	990
JSP910KJ	KTA38-G17	910	738	1069	8000	2600	3000	13000	990
JSP 1010K	KTA38-G5	1010	836	1180	8000	2700	3157	13873	990
JSP 1250K	KTA50-G3	1250	1000	1470	8600	2800	3282	16457	990
JSP 1500K	KTA50-G4-1	1500	1200	1735	9000	2900	3415	17328	990
JSP 1750Q	QSK50-G10	1750	1400	2000	9200	2900	3950	19000	990
JSP 2000Q	QSK60-G4	2000	1600	2319	10500	2900	3735	25000	990
JSP 2250Q	QSK60-G8	2250	1800	2600	10500	2900	3735	29500	990

Note:

1. Above details provided considering radiator coole @ DG Sets.
2. Single phase DG sets upto 100 KVA are also available on request.
3. All above dimensions are for Silent DG Sets.
4. Fuel Tanks, upto 650KVA Sets are in built, whereas 750 KVA & above sets have external Fuel tanks.
5. HE cooling options are also available for 500KVA & above ratings.